

MAZDA CX-5 2013 - 2016

Our ref: H0550

Packing requirements

CARGO LINER

- 1250mm cut length of 30mm wide loop fastener
Minimum of 14 self-adhesive loop fastener tabs

LIFTGATE COVER

- Minimum of 19 self-adhesive loop fastener tabs



Please note – Photo shows a Rear Plus Cargo Liner with Seat Split – prepared for a Bumper Flap

PREPARATION

- Remove the retractable cargo cover; it may be replaced later.
- Unfold the Hatchbag and place in the vehicle so that the base fits snugly in position. The panel with the Hatchbag label sits against the back of the rear seat.

VERY VERY IMPORTANT PREPARATION

To ensure a good bond, when using the self-adhesive hook & loop fasteners to attach the cargo liner to the plastic / metal trim (Not the carpet); it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many detailing products. It is highly likely there will be a build-up of silicone. Before applying any self-adhesive fastener pads, the surface **MUST** be thoroughly cleaned using a silicone remover. (The fastener cannot be used once it has been in contact with silicone). We recommend Intensive Tar Remover made by AutoGlym. Wipe off thoroughly any residue with a separate clean dry cloth.

Unfortunately we are unable to supply this product, as it cannot be transported via our postal carrier.

NOTE: the adhesive takes 24hrs to reach full adhesion, do not disturb during.



INSTALLATION

BASE

- Hook fasteners attach directly to the carpet.
- Work from the liftgate end of the base first.



FRONT

- Hook & loop fastener straps align to headrests.
- Pass around each post and fasten close back onto themselves.

REAR PLUS VERSIONS

- **YOU MUST UNFASTEN THE HOOK & LOOP FASTENERS AND THE HEADREST STRAPS BEFORE YOU FOLD THE UPPER PARTS OF THE REAR SEATS.** Please refer to **REAR PLUS options on website to see detailed photos.**



SIDES

- Carefully position the side panels snugly into place.
- Use the self-adhesive loop fasteners to attach the side to the plastic trim. The long uncut length is to be halved and aligned with the top edge of the sides.



REAR

- Carefully position the back panel snugly into place. Use both the pre-cut tabs and uncut length of self-adhesive loop fasteners to attach the back to the plastic trim.


Please note: this photo is not specific to your car



OPTIONAL EXTRAS

LIFTGATE COVER

- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.
- There are two cut-outs to allow the cargo cover to be fixed to the door.



BUMPER FLAP

- Attach the Bumper Flap to the loop fastener strip that has been manufactured into the base of the Cargo liner.
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



CARGO LINER EXTENSION

The Cargo Liner Extension provides superior protection to the rear seats when purchased in conjunction with a REAR PLUS option.

- The Cargo Liner Extension is designed to attach to a Rear Plus version liner.
- It provides additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors

(This item cannot be added at a late date)

