

Installation Instructions hatchbag.us

JAGUAR F-PACE - 2017-2021

Our ref: H0624

PACKAGING REQUIREMENTS.

CARGO LINER

- 630mm cut length of 30mm wide self-adhesive loop fastener
- LIFTGATE COVER
- 15 x tabs self-adhesive loop fastener



VERY IMPORTANT PREPARATION

To ensure a good bond, when using the self-adhesive hook & loop fastener to attach the cover to the plastic trim it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many detailing products. It is **highly likely there will be a build-up of silicone**. Before applying any Hook & loop fastener pads, the surface **MUST be thoroughly** cleaned using a silicone remover. (The Hook & loop fastener cannot be used once it has been in contact with silicone). We recommend Intensive Tar Remover"made by AutoGlym. Wipe off thoroughly **any residue with a separate clean dry cloth.**

NOTE: the adhesive takes 24hrs to reach full adhesion – do not touch during.





STEP I. PREPARATIONS

PLEASE NOTE:

FLOOR RAILS. Remove the sliding D-Ring Sections from the floor rails , the cargo liner will sit over the rails. We do not accommodate this fixing functionality.

REAR SEAT POSITION. Ensure the upper parts of the rear seats are set at the most upright position.



STEP 2. INSTALLING THE BASE

- Place the cargo liner into the cargo area with the Hatchbag logo at the seat end. Start just in front of the locking mechanism (see arrow) and work forwards and outwards. Flatten the base so it fits snugly against the edges. (Image A)
- Cut the 30mm wide self-adhesive loop fastener to length and shape, so that it sits neatly into the 2 sections of the molded liftgate plate, either side of the locking mechanism. (Image B) Attach the rear end of the cargo liner to this loop fastener.





STEP 3. INSTALLING THE FRONT

- - PLUS / SPLIT VERSION ONLY Fasten the hook & loop fastener between the side panel and the seat panel. (Image C)
- Starting with the middle headrest, loop the hook & loop fastener straps around both headrest posts. (Image D). Make sure to hold the front part of the base in position to avoid pulling the cargo liner too far up. Repeat the procedure with the left and right headrest.

REAR PLUS VERSIONS

You MUST unfasten the hook & loop fastener and the headrest straps before you recline the upper parts of the rear seat. (*Please refer to REAR PLUS options on website* to see detailed photo)

IMAGE C



STEP 4. INSTALLING THE SIDES

• Attach the sides of the cargo liner to the sides of the cargo area. The hook fasteners on the back side of the liner attach directly to the carpet. (Image E+F).



OPTIONAL EXTRAS


Please note: the following photos are not specific to your vehicle

STEP 5A. LIFTGATE COVER

- Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive hook fastener tabs will be stuck. (Image 4) *Loosely fasten the 2 hook & loop fastener straps*
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.

STEP 5B. BUMPER FLAP

- Install Cargo Liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the cargo liner (Image 5).
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.





OPTIONAL EXTRAS page 2

Please note the following photos are non-specific to your vehicle

STEP 5D. FLOOR EXTENSION

The "Floor extension" offers superior protection to the rear seats when purchased in conjunction with a REAR PLUS option.

- The Floor extension is designed to attach to a Rear Plus version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- The max width is 148cm (see photo on left).
- It will offer no protection to the rear doors

PLEASE REQUEST FURTHER INFORMATION AS YOU PLACE YOUR ORDER (*The bumper flap* **(5C)**, seat flap **(5A)** and floor extension **(5D)** cannot be added at a late date)

STEP 5E. FREQUENT USE INSTALLATION KIT

• If you frequently remove/install your cargo liner from/to your vehicle please note that the carpet will "fluff" up – we have an alternative "Frequent Use Installation Kit"

The Frequent Use Kit is available to buy from our "online" Factory Shop – simply add it to your order from the Factory Shop.





