

VOLVO XC60 - 2018-present

OUR REF: H0681-NETNO

PACKAGING REQUIREMENTS.

CARGO LINER

- **2x 440 mm** 30mm wide self-adhesive loop fastener

LIFTGATE COVER

- **24 x tabs** self-adhesive loop fastener



Rear split version prepared for a bumper flap & seat flap



VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** all the grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and detailing.

To do this please:

1. Use a silicone remover, such as AutoGlym Intensive Tar Remover and apply generously to the surface you want to adhere to.
2. Using a separate clean & dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 to 2 if necessary) Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

**The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



Please note not all of the photographs are specific to your floor version

STEP 1. PREPARATIONS

- Remove the cargo cover. It may be replaced later.

STEP 2. FITTING THE BASE

- Place the Cargo liner in the cargo area with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. The hook fasteners on the underside of the liner attach directly to the carpet. **(Image A)**



STEP 3. FITTING THE FRONT

- **- PLUS / SPLIT VERSION ONLY -** Fasten the hook & loop fasteners between the side panels and the seat panel. **(Image B)**
- Starting with the middle headrest, fasten the hook & loop fastener straps around both headrest posts. **(Image C)**. Make sure to hold the front part of the base in position to avoid pulling the liner too far up.
- Outer headrests - Loop the elastic fastener straps around both headrest posts. **(Image D)**. Make sure to hold the front part of the base in position to avoid pulling the liner too far up.



REAR PLUS VERSIONS

You **MUST** unfasten the hook & loop fasteners and the headrest straps before you recline the upper parts of the rear seats. *(Please refer to REAR PLUS / SPLIT options on website to see detailed photo)*

STEP 4. FITTING THE SIDES & BACK


- Push the left side of the Cargo liner into the pocket on the left side of the cargo area. *The pocket will be a little narrower.*
- Attach the hook fastener on the top edge of sides of the liner directly on the top edge of the carpeted sides of the cargo area. (Image E & F)
- Stick the 440mm long self-adhesive loop fastener strip on the chrome & plastic panel located on either side of the lock at the liftgate end of the cargo area. Align to the outer edge. Attach the Cargo liner to it using the hook fastener on the liner. (Image G)



OPTIONAL EXTRAS

Please note: the following photos are not specific to your vehicle

STEP 5A. TAILGATE COVER

- Remove the small liftgate panel first.
Pull the panels middle clips straight out (1), then carefully pull the side pins (2) away from the side of the liftgate, one side at a time. (Image 1)
- Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck.
-  Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.
- Replace the small liftgate panel. Start by replacing the side pins first, then middle. (Image 2)



OPTIONAL EXTRAS

Please note the following photos are not specific to your vehicle

STEP 5B. BUMPER FLAP

- Install Cargo liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the Cargo liner. (Image 3)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



STEP 5C. FLOOR EXTENSION

The Cargo Liner Extension provides superior protection to the rear seats when purchased with a REAR PLUS option. (Image 4)

- The Cargo Line Extension is designed to attach to a Rear Plus version liner.
- It provides additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors



STEP 5D. FREQUENT USE INSTALLATION KIT

- If you frequently remove/install your Cargo liner from/to your vehicle, please note that the carpet will “fluff” up. We offer an alternative Frequent Use Installation Kit. (Image 5 & 6)

The Frequent Use Installation Kit is available to buy from our online store. Simply add it to your order from the store. The kit can also be ordered at a later date.



OPTIONAL EXTRAS page 2

Please note the following photos are non-specific to your vehicle

STEP 5E. FREQUENT USE KIT

- If you frequently remove/fit your boot liner from/to your vehicle please note that the carpet will “fluff” up – we have an alternative “Frequent Use Fitting Kit” (image 7+8)

The Frequent Use Kit is available to buy from our “on-line” Factory Shop – simply add it to your order from the Factory Shop. These can also be ordered at a later date.

