

VOLVO V90 - 2017-2020

OUR REF: H0706

PACKAGING REQUIREMENTS.

☐ CARGO LINER

- **2x 590 mm** 30mm wide self-adhesive loop fastener
- **2x 430 mm** 30mm wide self-adhesive loop fastener
- **6x** ref.121 cut at 75mm

☐ LIFTGATE COVER

- **23 x tabs** self-adhesive loop fastener



Rear split Cargo liner, prepared for bumper flap.



VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and detailing.

To do this please:

1. Use a silicone remover, such as AutoGlym Intensive Tar Remover and apply generously to the surface you want to adhere to.
2. Using a separate clean & dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 to 2 if necessary) Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.



**The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



STEP 1. PREPARATIONS

- Remove the cargo cover. It may be replaced later.


STEP 2. INSTALLING THE BASE

- Fold the rear seats flat prior to placing the Cargo liner into the cargo liner.
- Place the Cargo liner into the cargo area with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. (Image A)
- Push the two foam-filled tabs on the front end of the base into the slot between the floor and the rear seats. Fold the seats back up trapping the foam tabs. (Image B)
-



STEP 3. INSTALLING THE FRONT

- - **PLUS / SPLIT VERSION ONLY** - Fasten the hook & loop fastener between the side panels and the front panel. (Image C) You may wish to re-align this once the Cargo liner has been installed for a better fit.
- Starting with the middle headrest, loop the hook & loop fastener straps around both headrest posts. (Image D). Make sure to hold the front part of the base in position to avoid pulling the Hatchbag too far up. Repeat the procedure with the left and right headrests. (Image E).




REAR PLUS VERSIONS

You **MUST** unfasten the hook & loop fastener and the headrest straps before you recline the upper parts of the rear seats. (Please refer to **REAR PLUS / SPLIT** options on website to see detailed photo)

STEP 4. INSTALLING THE SIDES

- Attach the 590mm long self-adhesive loop fastener strips to the bottom edge of the plastic side panels just above the carpeted area as **highlighted in blue**. Snip at the rear end of the fastener at an angle to make it fit. (Image F)
- Attach the hook fastener on the top edge of the liner to the fastener previously fixed in place. (Image F)
- Insert 3 ref:121 fastener tabs (**highlighted in yellow—images G,H & I**) on either side of the liftgate end of the cargo area. To do this peel back the rubber and slot the plastic end of the fastener tabs behind the carpeted panel. (Image G)
- Slide these fastener tabs up or down so that they align with the hook fasteners on the rear sides of the liner. (Image H)
- Fasten the hook fastener on the rear of the sides of the liner to the previously attached ref:121 fastener. (Image I)



STEP 5. INSTALLING THE BACK

- Stick the 430mm long self-adhesive loop fastener strips onto the ridged chrome panel located on both sides of the liftgate end of the cargo area. (**highlighted in orange—image J**) Attach the hook fastener welded onto the underside of the cargo liner base to this fastener. (Image J)



OPTIONAL EXTRAS

Please note the following photos are not specific to your vehicle

STEP 5A. LIFTGATE COVER

- Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 1)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



STEP 5B. BUMPER FLAP

- Install Cargo liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the liner. (Image 2)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



STEP 5C. CARGO FLOOR EXTENSION

The Cargo Liner Extension provides superior protection to the rear seats when purchased in a REAR PLUS option. (Image 3)

- The Cargo Liner Extension is designed to attach to a Rear Plus version liner.
- It provides additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors

