

Nissan Leaf - 2018-present

Our ref: H0715

INSTALLATION KIT CONTENTS:

☐ CARGO LINER

- **2 x 540 mm** 30mm wide self-adhesive loop fastener
- **2 x 600 mm** 30mm wide self-adhesive loop fastener
- **1 x tabs** self-adhesive loop fastener

☐ LIFTGATE COVER

- **22 x tabs** self-adhesive loop fastener



SPK-speaker on cargo area floor /SPKNO-no speaker
Rear plus cargo liner



VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fasteners stick to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and detailing.

To do this, please:

1. Use a silicone remover, such as AutoGlym Intensive Tar Remover, and apply generously to the surface you want to adhere to.
2. Using a separate clean, dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 and 2 if necessary.) Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

**The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



STEP 1. PREPARATIONS

- Remove the load cover. It can be replaced later.
- Remove the nets on each side. They may be replaced later.
- Put the headrests in their highest position. (Image A)



STEP 2. INSTALLING THE BASE

- Place the Cargo liner in the cargo area with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. The hook fasteners on the back side attach directly to the carpet. (Image B)



STEP 3. INSTALLING THE FRONT


- - **PLUS / SPLIT VERSION ONLY** - Fasten the hook & loop fasteners between the side panels and the seat panel. (Image C)
- Starting with the middle headrest, fasten the hook & loop fastener straps around both headrest posts. (Image D). Make sure to hold the front part of the base in position to avoid pulling the Cargo liner too far up. Repeat the procedure with the left and right headrests.

REAR PLUS VERSIONS You **MUST** unfasten the hook & loop fasteners and the headrest straps before you recline the upper parts of the rear seats. (Please refer to REAR PLUS / SPLIT options on website to see detailed photo)




STEP 4 . INSTALLING THE SIDES

- Attach the 540mm self-adhesive loop fastener to the long edge under the vent of the side plastic panels. (Highlighted in yellow - Image E)
- Fasten the hook fastener on the top edge of the cargo liner side (Highlighted in orange - Image E) to the previously attached loop fastener. Repeat on the other side.



STEP 5. INSTALLING THE BACK

- Stick one self-adhesive loop fastener tab on the center of the plastic panel located at the liftgate end of the cargo area (green arrow - image H) and in line with the hook fastener on the back side of the cargo liner. (highlighted in green - image H)
- Attach one 600mm self adhesive loop fastener strip on each side of the tailgate lock in line with the hook fastener sewn and welded on the rear end of the cargo liner. (highlighted in orange - image H)
- Fasten the cargo liner to them using the hook fastener sewn and welded on the reverse part of the cargo liner.



OPTIONAL EXTRAS

Please note: the following photos are not specific to your vehicle.

STEP 6A LIFTGATE COVER

- Line up the Liftgate Cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 1)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



STEP 6B. BUMPER FLAP

- Install the Cargo liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the Cargo liner. (Image 2)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



OPTIONAL EXTRAS PAGE 2

Please note: the following photos are not specific to your vehicle.

STEP 6C. CARGO LINER EXTENSION

The Cargo Liner Extension provides superior protection for the rear seats when purchased with a REAR PLUS option. (Image 3)

- The Cargo Liner Extension is designed to attach to a Rear Plus / Split version liner.
- It provides additional protection for the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection for the rear doors.
- Attach the Cargo Liner Extension to the main Cargo liner. (Image 6)
- Fasten the two ties in the corner together. (Orange arrows - Image 7)
- Fasten the hook & loop fastener straps around both headrest posts. (Blue arrows - image 7)



The Bumper Flap and Cargo Liner Extension 6C cannot be added at a later date.