

Installation Instructions

hatchbag.us

# BMW i3 - 2014 - present

our ref: H0718

## Installation Kit Contents:

## **CARGO LINER**

- 2 x 420 mm 30mm wide self-adhesive loop fastener
- **TLIFTGATE COVER**
- 22 x tabs self-adhesive loop fastener



Split cargo liner prepped for a bumper flap and cargo liner extension



### VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you MUST CLEAN all grime from the plastic and REMOVE all SILICONE applied during manufacture and detailing.

To do this please:

- Use a silicone remover, such as 'AutoGlym Intensive Tar Remover' and apply 1. generously to the surface you want to adhere to.
- Using a separate clean, dry cloth, thoroughly dry the surface until the cloth 2. starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 to 2 if necessary.) Extra Tabs have been provided.
- Attach the self-adhesive fasteners and let them fully adhere over the next 24 3. hours for the best bond.

\*The self-adhesive fasteners cannot be used once it has been in contact with silicone. Replacement kits are available from our website.





#### **STEP 1. PREPARATIONS**

• Remove the cargo cover. It may be replaced later.

#### **STEP 2.** INSTALLING THE BASE

• Place the cargo liner into the car cargo area with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. The hook fasteners welded to the reverse face fix directly to the carpet. (Image A)



#### **STEP 3.** INSTALLING THE FRONT

- PLUS / SPLIT VERSION ONLY fasten the hook & loop fasteners between the side panels and the seat panel. (Image B)
- Starting with the middle headrest, fasten the hook & loop fastener straps around both headrest posts. (Image C). Make sure to hold the front part of the base in position as not to pull the cargo liner too far up. Repeat the procedure with the left and right headrests.

#### **REAR PLUS VERSIONS**

• You MUST unfasten the hook & loop fasteners + the headrest straps before you recline the rear seat uppers. (*'Please refer to REAR PLUS / SPLIT* options on website to see detailed photo')





#### **STEP 4.** INSTALLING THE BACK & SIDES

- Stick the 2 x 420mm long self-adhesive loop fastener strips onto the ridged plastic panels located on both sides of the lock at the liftgate end of the cargo area. Fasten the cargo liner to it using the hook fastener welded onto it. (Image D)
- Fasten the hook fastener sewn onto the top edge of the cargo liner sides directly onto the carpet along the top edge of the carpeted cargo area sides. (Image E)



## **OPTIONAL EXTRAS**

Please note the following photos are non-specific to your vehicle

### **STEP 5A.** LIFTGATE COVER

• Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 1)



Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.

#### STEP 5B. BUMPER FLAP

- Install the cargo liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the Cargo liner. (Image 2)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



## **OPTIONAL EXTRAS page 2**

Please note the following photos are non-specific to your vehicle

## STEP 5C. CARGO LINER EXTENSION

The Cargo Liner Extension offers superior protection to the rear seats when purchased in conjunction with a REAR PLUS option. (Image 3 & 4)

- The Cargo Liner Extension is designed to attach to a Rear Plus/Split version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- It will offer no full protection to the rear doors
- Attach the Cargo liner extension to the main cargo liner (Image 3)
- Tie the two laces in the corner together (Orange arrows Image 4)
- Fasten the hook & loop fastener straps around both headrest posts. (Blue arrows—Image 4)

The Bumper Flap and the Cargo Liner Extension cannot be added at a late date

## STEP 5D. FREQUENT USE KIT

• If you frequently remove/install your cargo liner from/to your vehicle, please note that the carpet will "fluff" up – we offer an alternative Frequent Use Installation Kit. (Image 5+6)

The Frequent Use Installation Kit is available from our online store. Simply add it to your order from the Store. The kit can also be ordered at a later date.



IMAGE 6





