

Hyundai Kona - 2018 – 2023

our ref: H0735

Installation Kit contents:

☐ CARGO LINER

- 1 x 700mm 30mm wide self-adhesive loop fastener
- 2 x 320mm 30mm wide self-adhesive loop fastener
- 2 x 420mm 30mm wide self-adhesive loop fastener
- 2 x 80mm 30mm wide self-adhesive loop fastener
- 2 x tabs self-adhesive loop fastener

☐ LIFTGATE COVER

- 20 x tabs self-adhesive loop fastener



Rear plus, prepared for bumper flap.

Rear split, prepared for bumper flap and cargo liner extension. Speaker mesh optional extra.



VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and detailing.

To do this please:


1. Use a silicone remover, such as AutoGlym Intensive Tar Remover and apply generously to the surface you want to adhere to.
2. Using a separate clean & dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 to 2 if necessary) Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

**The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



STEP 1. PREPARATIONS

- Remove the cargo cover. It may be replaced later.
- Put the headrests in their highest position.



STEP 2. INSTALLING THE BASE

- Place the cargo liner into the cargo area with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. The hook fasteners on the back side attach directly to the carpet. (Image B)



STEP 3. INSTALLING THE FRONT

- - **PLUS / SPLIT VERSION ONLY** - Fasten the hook & loop fasteners between the side panels and the seat panel. (Image C)
- Starting with the middle headrest, fasten the hook & loop fastener straps around both headrest posts. (Image D). Make sure to hold the front part of the base in position to avoid pulling the cargo liner too far up. Repeat the procedure with the left and right headrests.




REAR PLUS VERSIONS

You **MUST** unfasten the hook & loop fasteners and the headrest straps before you recline the upper parts of the rear seats. (Please refer to **REAR PLUS / SPLIT** options on website to see detailed photo)

STEP 4. INSTALLING THE SIDES

- The 700mm length loop fastener strip is to be used on the side panels. Cut appropriate lengths to match the areas **highlighted in blue, Image E & F**. On the left side also attach the two self adhesive tabs around the light as shown (**highlighted in pink - Image F**)
- Stick the 420mm (**highlighted in yellow - image E & F**) self-adhesive loop fasteners and the 80mm (**highlighted in orange - Image E & F**) self-adhesive loop fasteners to the plastic side at the liftgate end of the cargo area. Snip the self-adhesive fastener strips in the corners to ease around the bend if necessary.
- Attach the hook fastener strip sewn along the edge of the cargo liner to the fasteners fixed in place previously.



STEP 5. INSTALLING THE BACK

- Stick the 320mm self-adhesive loop fasteners to the plastic panel on either side of the lock at the liftgate end of the cargo area. (**highlighted in green - Image G**).
- Attach the cargo liner to them using the hook fastener on the cargo liner. (**image H**).



OPTIONAL EXTRAS

Please note: the following photos are not specific to your vehicle

STEP 5A. LIFTGATE COVER

- Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 1)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



STEP 5C. BUMPER FLAP

- Install Cargo Liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the cargo liner. (Image 2)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



STEP 5C. CARGO LINER EXTENSION

The Cargo Liner Extension offers superior protection to the rear seats when purchased with a REAR PLUS/SPLIT option. (Image 3 & 4)

- The Cargo Liner Extension is designed to attach to a Rear Plus/Split version liner.
- It offers additional protection for the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors
- Attach the floor extension to the main cargo liner (Image 3)
- Fasten the two laces in the corner together (Orange arrows - Image 4)
- Fasten the hook & loop fastener straps around both headrest posts. (Blue arrows—Image 4)



The Bumper Flap and the Cargo Liner Extension cannot be added at a late date.