

Jaguar XF Sportbrake – 2018–present

our ref: H0768

Packaging requirements:

CARGO LINER

- **2 x 450mm** 50mm wide self-adhesive loop fastener
- **2 x 370mm** 30mm wide self-adhesive loop fastener
- **1 x 500mm** 20mm wide self-adhesive loop fastener
- **1 x 200mm** 20mm wide self-adhesive loop fastener
- **1 x 140mm** 20mm wide self-adhesive loop fastener
- **4 x ref.121** tabs



REF: 121

LIFTGATE COVER

- **20 x tabs** self-adhesive loop fastener



Rear Split, prepared for bumper flap.



VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and detailing.

To do this please:


1. Use a silicone remover, such as AutoGlym Intensive Tar Remover and apply generously to the surface you want to adhere to.
2. Using a separate clean & dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 to 2 if necessary). Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

**The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



STEP 1. PREPARATIONS

- Remove the cargo cover. It may be replaced later.
- Put the headrests in their highest position.
- Remove the four D-ring from the rails (highlighted in blue - Image A)



STEP 2. INSTALLING THE BASE

- Place the cargo liner into the car area with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. The hook fasteners on the back side attach directly to the carpet. (Image B)



STEP 3. INSTALLING THE FRONT

- - PLUS / SPLIT VERSION ONLY - Fasten the hook & loop fasteners between the side panels and the seat panel. (Image C)
- Starting with the middle headrest, fasten the hook & loop fastener straps around both headrest posts. (Image D). Make sure to hold the front part of the base in position to avoid pulling the cargo liner too far up. Repeat the procedure with the left and right headrests.



REAR PLUS VERSIONS



You MUST unfasten the hook & loop fasteners and the headrest straps before you recline the rear seat uppers. (Please refer to REAR PLUS / SPLIT options on website to see detailed photo)



STEP 4. INSTALLING THE SIDES

-Installing the ref: 121 tabs

- Hold back the rubber seal on the door aperture (left - Image E)
- Push the plastic section of the *ref.121 tab* into the void behind the carpeted cargo area sides. (right - Image E)
- Place two tabs on each side of the cargo area (highlighted in orange - image F,G & H)
- On the right side, stick one of the *450mm loop fastener strips* (highlighted in yellow - Image G) and the *500mm loop fastener strip* (highlighted in purple - Image G)
- On left side, stick the other *450mm loop fastener strip* (highlighted in yellow - image H), the *200mm loop fastener strip* (highlighted in red - Image H) and the *140mm loop fastener strip* (highlighted in blue - Image H)
- Attach the hook fastener on the top edge and back edge of sides of the cargo liner directly to the previously attached fasteners (Image G & H)



STEP 5. INSTALLING THE BACK

- Stick the *370mm self-adhesive loop fastener* on top of the metal plate at the back of the cargo area. (highlighted in green - Image I) Fasten the cargo liner to it using the hook fastener on the liner.



OPTIONAL EXTRAS

Please note: the following photos are not specific to your vehicle

STEP 5A. LIFTGATE COVER

- Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 1)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



STEP 5B. BUMPER FLAP

- Install Cargo Liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the cargo liner. (Image 2)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



OPTIONAL EXTRAS page 2

Please note: the following photos are not specific to your vehicle

STEP 5D. CARGO LINER EXTENSION

The Cargo Liner Extension provides superior protection to the rear seats when purchased with a REAR PLUS option. (Image 6 & 7)

- The Cargo Liner Extension is designed to attach to a Rear Plus/Split version liner.
- It provides additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors
- Attach the floor extension to the main cargo liner (Image 6)
- Fasten the two ties in the corner together. (Orange arrows - Image 7)
- Fasten the hook & loop fastener straps around both headrest posts. (Blue arrows—Image 7)

The Bumper Flap and the Cargo Liner Extension cannot be added at a late date.

