

Installation Instructions

hatchbag.us

Volvo V60 - 2019-present

our ref: H0776

PACKAGING REQUIREMENTS:

- CARGO LINER
- 2 x tabs self-adhesive loop fastener

LIFTGATE COVER

24 x tabs self-adhesive loop fastener



Split Cargo liner with Ski flap prepped for a seat flap and cargo liner extension.



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you MUST CLEAN all grime from the plastic and REMOVE all SILICONE applied during manufacture and detailing.

To do this please:

- 1. Use a silicone remover, such as AutoGlym Intensive Tar Remover and apply generously to the surface you want to adhere to.
- 2. Using a separate clean & dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 to 2 if necessary) Extra tabs have been provided.
- 3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

*The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.





STEP 1. PREPARATIONS

• Remove the cargo cover. It may be replaced later.

STEP 2. INSTALLING THE BASE

- Place the Cargo liner into the cargo area with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. The hook fasteners on the back side of the liner attach directly to the carpet. (Image A)
- Attach one self adhesive tab onto the plastic section of each side of the base near the liftgate opening in line with the hook fastener on the base of the liner. (yellow highlight - Image B)



STEP 3. INSTALLING THE FRONT (ELASTIC)


- PLUS / SPLIT VERSION ONLY fasten the hook & loop fasteners between the side panels and seat panel. (Image C)
- Loop the elastic fastener straps around both headrest posts. (Image D). Make sure to hold the front part of the base in position to avoid pulling the Cargo liner too far up.
- Fasten the middle of the front panel directly to the carpeted area of the rear seats using the hook fastener on the liner.

REAR PLUS VERSIONS

• You MUST unfasten the hook & loop fasteners + the headrest straps before you recline the rear seat uppers. (*Please refer to REAR PLUS / SPLIT*



- Push the Cargo liner behind the nearside net. The net will remain exposed. (Image E)
- Attach the hook fastener on the top and rear edge of the side of the liner directly on the top edge of the carpeted sides of the cargo area. (Image E)







OPTIONAL EXTRAS

Please note the following photos are non-specific to your vehicle

STEP 5A. LIFTGATE COVER

- Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 1)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



STEP 5B. BUMPER FLAP

- Install Cargo liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the Cargo liner. (Image 2)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



OPTIONAL EXTRAS PAGE 2

Please note the following photos are not specific to your vehicle

STEP 5C. CARGO LINER EXTENSION

The Cargo Liner Extension provides superior protection to the rear seats when purchased with a REAR PLUS option. (Image 3 & 4)

- The Cargo Liner Extension is designed to attach to a Rear Plus/Split version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors
- Attach the floor extension to the main Cargo liner (Image 3)
- Fasten the two ties in the corner together (Orange arrows Image 4)
- Fasten the hook & loop fastener straps around both headrest posts. (Blue arrows Image 4)

The Bumper Flap and the Cargo Liner Extension cannot be added at a later date.

STEP 5D. FREQUENT USE INSTALLATION KIT

• If you frequently remove/install your Cargo liner from/to your vehicle, please note that the carpet will "fluff" up. We offer an alternative Frequent Use Installation Kit (Image 5 & 6))

The Frequent Use Installation Kit is available to buy from our online. Simply add it to your order from the store. The kit can also be ordered at a later date.



Image 6





