

## Ford Escape - 2020 Present

our ref: H0792

### INSTALLATION KIT CONTENTS

- 2 x 570 mm 30mm wide self-adhesive loop fastener
- 2 x 270 mm 30mm wide self-adhesive loop fastener
- 2 x 140 mm 30mm wide self-adhesive loop fastener
- 1 x 190 mm 30mm wide self-adhesive loop fastener
- 2 x 300 mm 30mm wide self-adhesive loop fastener
- 1 x 140 mm 20mm wide self-adhesive loop fastener
- 4 x tabs self-adhesive loop fastener



Split cargo liner prepped for a cargo liner extension and bumper flap

### LIFTGATE COVER

- 20 x tabs self-adhesive loop fastener



### VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and detailing.

To do this please:

1. Use a silicone remover, such as AutoGlym Intensive Tar Remover, and apply generously to the surface you want to adhere to.
2. Using a separate clean, dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 and 2 if necessary.) Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

*\*The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



## STEP 1. PREPARATIONS

- Remove the cargo cover. It may be replaced later.
- Slide the rear seats as far back to the liftgate as possible.
- Put the headrests in their highest position.



## STEP 2. INSTALLING THE BASE

- Place the cargo liner into the cargo area with the Hatchbag logo at the seat end. Flatten the base so it installs snugly against the edges. The hook fasteners on the underside attach directly to the carpet. (Image B)





## STEP 3. INSTALLING THE FRONT

- **PLUS / SPLIT VERSION ONLY** - Fasten the hook & loop fasteners between the side panels and the seat panel. (Image C)
- Starting with the middle headrest, fasten the hook & loop fastener straps around both headrest posts. (Image D). Make sure to hold the front part of the base in position to avoid pulling the cargo liner too far up. Repeat the procedure with the left and right headrests.


### REAR PLUS VERSIONS

You **MUST** unfasten the hook & loop fasteners and the headrest straps before you recline the upper part of the rear seats. (Please refer to **REAR PLUS / SPLIT options on website to see detailed photo.**)




## STEP 4. INSTALLING THE SIDES

- Push the liner inside the wells (**white arrows - Image G & H**)
- On both sides of the Cargo stick the following loop fasteners in line with the hook fasteners sewn & welded on the reverse side of the cargo liner as shown highlighted on **Image E & F**.
  - Green 570 mm loop fastener
  - Brown 270 mm loop fastener
  - Orange 140 mm loop fastener
  - Pink 190 mm loop fastener
  - Yellow loop fastener tabs
  - Blue 140 mm (16mm width) loop fastener
- If necessary snip the self-adhesive fastener strips at the corners to ease around the curves.
- Fasten the hook fastener sewn onto the top and back edge on both sides of the cargo liner directly onto the previously attached loop fasteners. (**Image E & F**)



## STEP 5. INSTALLING THE BACK

- Stick 2 x 300mm self-adhesive loop fasteners onto the plastic panel located on both sides at the liftgate end of the Cargo (**highlighted in blue - Image I**). Fasten the cargo liner to them using the hook fastener sewn on the reverse side of the cargo liner.



## OPTIONAL EXTRAS

Please note: the following photos are not specific to your vehicle.

### STEP 5A. LIFTGATE COVER

- Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 2)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



### STEP 5B. BUMPER FLAP

- Install the cargo liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the cargo liner. (Image 3)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.





## OPTIONAL EXTRAS PAGE 2

Please note: the following photos are not specific to your vehicle.

### STEP 5C. CARGO LINER EXTENSION

The Cargo liner extension provides superior protection for the rear seats when purchased with a REAR PLUS option. (Image 4 & 5)

- The cargo liner extension is designed to attach to a Rear Plus/Split version liner.
- It provides additional protection for the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors
- Attach the cargo liner extension to the main cargo liner (Image 4)
- Fasten the two ties in the corner together (Orange arrows - Image 5)
- Fasten the hook & loop fastener straps around the headrest posts. (Blue arrows - Image 5)
- Stick one self adhesive tab on the side of the Cargo. (highlighted in green - Image 6) Attach the hook fastener tab welded on the back corner of the cargo liner extension to the previously mentioned tab (White arrow - Image 6)
- Repeat on opposite side



**Please Note: The Bumper Flap 5B & the Cargo liner Extension 5C cannot be added at a later date.**