

# Volkswagen Golf MK8 Hatch - 2022 Present

our ref: H0796

## INSTALLATION KIT CONTENTS :

### CARGO LINER

- **2 x 400 mm** 30mm wide self-adhesive loop fastener
- **6 x tabs** self-adhesive loop fastener
- **FLOW ONLY 1 x tabs** self-adhesive loop fastener

### LIFTGATE COVER

- **20 x tabs** self-adhesive loop fastener



Left: FLOW Split and Ski flap cargo liner prepped for a bumper flap

Right: FRSD Split and Ski flap cargo liner prepped for a cargo liner extension and bumper flap



## VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and detailing.

To do this please:

1. Use a silicone remover, such as AutoGlym Intensive Tar Remover, and apply generously to the surface you want to adhere to.
2. Using a separate clean, dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 and 2 if necessary.) Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

*\*The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



## STEP 1. PREPARATIONS

- Remove the cargo cover. It may be replaced later.
- Set the floor level to Install the specification of your order.
- Put the headrests in their highest position. (Image A)



## STEP 2. INSTALLING THE BASE

- Place the cargo liner into the cargo area with the Hatchbag logo at the seat end. Flatten the base so it installs snugly against the edges. The hook fasteners on the underside attach directly to the carpet. (Image B)



## STEP 3. INSTALLING THE FRONT

- **PLUS / SPLIT VERSION ONLY** - Fasten the hook & loop fasteners between the side panels and the seat panel. (Image C)
- Starting with the middle headrest, fasten the hook & loop fastener straps around both headrest posts. (Image D). Make sure to hold the front part of the base in position to avoid pulling the cargo liner too far up. Repeat the procedure with the left and right headrests.



## REAR PLUS VERSIONS

You **MUST** unfasten the hook & loop fasteners and the headrest straps before you recline the upper part of the rear seats. (Please refer to **REAR PLUS / SPLIT** options on website to see detailed photo.)



## STEP 4. INSTALLING THE SIDES

- The side panels of the cargo liner are attached directly to the carpeted area on the sides of the cargo. Align the hook fasteners along the top and back edge of the cargo liner side panels with the edges of the carpeted area. (Images E)



- On both sides of the cargo stick 3 self-adhesive loop fasteners tabs in line with the hook welded on the reverse side of the cargo liner as highlighted in yellow (Image E)

- Push the liner around the D-rings on the back of the cargo (Image F)



Image E



Image F

## STEP 5. INSTALLING THE BACK

- Stick both 400 mm self-adhesive to the Liftgate edge of the cargo area starting from the lock in the middle and running along the plastic panel (highlighted in blue - Image G)



- Snip the self-adhesive fastener strips at the corners to ease around the curve. Attach the cargo liner to it using the hook fastener on the liner.



- **-FLOW VERSION ONLY-** Stick one self-adhesive fastener tab to the inside centre of the back panel, aligned with the hook fastener on the back panel of the cargo liner (highlighted in yellow - Image H)



Image G





Image H

# OPTIONAL EXTRAS


Please note: not all of the photographs are specific to your vehicle.

## STEP 6A. LIFTGATE COVER

- Line up the Liftgate cover with the Liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 1)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



## STEP 6B. BUMPER FLAP

- Install the cargo liner 
- Attach the Bumper Flap to the loop fastener strip located at the base of the cargo liner. (Image 2)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the Liftgate.





## OPTIONAL EXTRAS PAGE 2

Please note: the following photos are not specific to your vehicle.

### STEP 6C. CARGO LINER EXTENSION

The Cargo liner extension provides superior protection for the rear seats when purchased with a REAR PLUS option. (image 3 & 4)

- The cargo liner extension is designed to attach to a Rear Plus/Split version liner.
- It provides additional protection for the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors
- Attach the cargo liner extension to the main cargo liner (Image 3)
- Fasten the two ties in the corner together (Orange arrows - Image 4)
- Fasten the hook & loop fastener straps around the headrest posts. (Blue arrows - Image 4)
- Repeat on opposite side
- Fasten ties to the corresponding rear seat striker loop (Green arrows - Image 5)

**Please Note: The Bumper Flap 6B & the Cargo liner Extension 6C cannot be added at a later date.**

### STEP 6D. FREQUENT USE KIT

- If you frequently remove/install your cargo liner from/to your vehicle, please note that the carpet will “fluff” up – we offer an alternative Frequent Use Installation Kit . These tabs are placed between the cargo liner and the cargo carpet. (image 6 + 7)

The Frequent Use Installation Kit is an accessory available to purchase from our on-line store

